

INDEX.

ACIDS:—meconic, 1, 114; kome-
nic, 1, 7, 117; pyromeconic, 2; py-
romucic, 5; pyrokomenic and para-
komenic, 6; uric, 9; dialuric, 11;
acid thionurate of ammonia, 13;
alloxano-sulphurous, *ib.*; alloxanic,
14; ferric, 25; catechuic, 45; neu-
tralization of various, by hydrate of
potash, 51; of hydrate of potash by
nitric, sulphuric, and hydrochloric,
52, 58; of acetic, oxalic, arsenic and
phosphoric, by hydrate of potash, 65,
68; action of, upon spathic carbonate
of iron, 106; on some salts of meconic
and komenic, 113; iron salt from
æthereal solution of meconic, 116;
on separating lime and magnesia
when they exist in combination with
phosphoric, 140; epianic, 172; he-
mipinic, 172; on sulphuric, phos-
phoric and carbonic, in vegetable
ashes, 182, 189, 190; acids in Bon-
nington water, 207; in bones from
guano, 225; kinic, 226; action of
nitric, on chloraniline and on sty-
role, 283, 339; benzoic, 342; nitro-
benzoic, 343; action of chromic
and sulphuric, on styrole, and of nitric,
on metastyrole, 344, 345, 351;
phosphoric, in the deep-well water
of the London basin, 392.

Actino-chemistry, contributions to,
311.

Æthogen, 15.

Alaria esculenta, mannite contained
in, 138.

Alkalies in vegetable ash, 188, 190.

Alkaline earths in vegetable ash, 187.

Alloxanic acid, 14.

Alloxano-sulphurous acid, 13.

Alloxantine, 10.

Alloy of zinc, iron, lead and copper,
on a crystallized, 393.

Alums, volumes of certain, 414.

American guano, composition of some
varieties of South, 140; analysis of
samples, 149, 150.

Ammonia, komenate of, 8; dialurate
of, 11; acid thionurate of, 13;

komenate of, 118; new mode of
estimating, 140; in the Bonnington
water, 215; decomposition of salts
of, 244.

Analyses:—pyromeconic acid, 2; pa-
rakomenic acid, 7; komenate of
peroxide of iron, 8; catechu and
cutch, 47; of a silver vase found
between Bow and Stratford, 48;
double sulphates, 50; of recent and
fossil bones, 98; spathic carbonate
of iron, 105; meconic acid, 113;
meconate of lead, 114; komenate
of ammonia, lead, copper and silver,
118, 119, 120; hydrate of the oil
of turpentine, 121; East Indian
grass oil, 123; *Laminaria saccha-
rina*, 137; South American guano,
149; concrete guano, 151; saline
guano, 152; narcotine, 163; vege-
table ashes abounding in silica, 190;
ashes of tobacco, wheat, rye, peas,
the apple-tree, 192, 193; of seed-
ashes containing tribasic and biba-
sic phosphates, 195, 197; diseased
wheat, 199; of the Bonnington
water, and the soluble and earthy
ingredients in the, 201, 206, 211;
carbonic acid gas and ammonia,
215; of bones from the guano, 225;
chloranil, 230; green glass, 248;
hydrochlorate of chloraniline, 280;
farm-yard manure and coal-gas,
309; brown iron ore, 322, 324,
325; hydrochlorate of toluidine,
379; of gingerade, 386; of zinc
plates, 394.

Andropogon Ivaracusa, oil of the, 122.

Aniline, on the formation of, 249;
action of chlorine on, 270.

Anniversary Report and Address, 109,
329.

Antimony, solubility of, 20.

Apple-tree, analysis of the ash of, 193.

Arrott (A. R.) on a class of double
sulphates, containing soda and a
magnesian oxide, 49.

Arsenates, volumes occupied by, 418.

Arsenic, solubility of, 20; improved

- method for the detection and quantitative determination of, 129; decoloration and solution of substances by, 130; separation of the, as sulphuret of, *ib.*; purification of sulphuret of, 131; quantitative determination of the sulphuret of, *ib.*; reduction of the sulphuret of, 132.
- Ash-analysis, method of quantitative, 184.
- Ashes, vegetable, inorganic compounds in the normal, 182; rich in alkaline and earthy carbonates, 183, 186; in alkaline and earthy phosphates, 184, 186; in silica, 184, 190; preparation of the, 184; carbonic acid in, 190.
- Ashes of tobacco, analysis of the, 192.
- Atomic volume, on, 401.
- Auditors' Report, 112, 333.
- Balmain (W. H.) on æthogen, 15.
- Baryta, action of anhydrous, and lime, on chloraniline, 284.
- Benzoic acid, 342.
- Bicarbonate of potash, neutralization of, with hydrate of potash, 68.
- Bichloride of platinum, products of decomposition of narcotine by, 163, 168.
- Bichromate of potash, neutralization of, by hydrate of potash, 64.
- Binoxalate of potash, 66.
- Bismuth, solubility of, 20.
- Bleaching powder, action of, on the salts of copper and lead, 387.
- Blyth (Dr. J.) on the composition of narcotine, and some of its products of decomposition by the action of bichloride of platinum, 163; on styrole, and some of the products of its decomposition, 334.
- Bones, occurrence of fluorine in recent as well as in fossil, 97, 134; curious change in the composition of, taken from the guano, 223.
- Bonnington water, analysis of the, 201.
- Bromaniline, composition of, 290; properties of, 291; oxalate of, *ib.*; hydrochlorate of, 292; bichloride of platinum, 293.
- Bromides, 440; volumes in solution and in the solid state of certain, 446.
- Bromine, in the Bonnington water, 209; production of organic bases which contain, 266; action of, on chloraniline, 283; on styrole, 345.
- Bromisatine, action of fused hydrate of potash on, 289; compounds of, 291.
- Bromostyrole, 345.
- Bunsen (Prof.) on the direct formation of cyanogen from the union of the nitrogen of the air with carbon, 391.
- Burnard (C. F.) on a modification of the apparatus for estimating the carbonic acid in carbonated alkalies, &c., 199.
- Cadmium, solubility of, 19.
- Calamus aromaticus*, oil of the, 122.
- Cane-sugar, on the conversion of, 384; volumes occupied by, 418.
- Carbonate of iron, spathic, 105.
- Carbonates, vegetable ashes rich in alkaline and earthy, 183; analysis of, 186; atomic volume of, 453; volumes occupied by the alkaline, 454.
- Carbonic acid in vegetable ash, 190; on the apparatus for estimating the, in carbonated alkalies, &c., 199.
- Carty (John) on a new cyanide of gold, 80; on a specimen of diseased wheat, 199.
- Catechu, analysis of, 47.
- Catechuic acid, 45.
- Cellulose and inulin, on the conversion of cane-sugar into a substance isomeric with, 384.
- Cerealia, oxide of copper in, 183.
- Charcoal, determination of the silica of the, in vegetable ash, 186; action of animal, 326.
- Chemical combination, actinic influence on, 317.
- Chemical lamp-furnace, on a, 218.
- Chinolin and leucol identical, 384.
- Chloranil, 227.
- Chloraniline, 273; properties of, 274; compounds of, 276; sulphate of, 277; binoxalate of, 278; phosphate of, 280; hydrochlorate of, *ib.*; products of the decomposition of, 281; action of the oxygenated compounds of chlorine on, *ib.*; action of chlorine on, 283; of bromine on, *ib.*; of nitric acid on, *ib.*; of anhydrous baryta and lime on, 284; of potassium on, 285.
- Chlorides, 440; volumes in solution and in the solid state of certain, 446, 447.
- Chlorindatmit, on the true composition of, 306.

- Chlorine, in vegetable ash, 189; in the Bonnington water, 208; decomposition of oxides and salts by, 234; production of organic bases which contain, 266; action of, on aniline, 270; of the oxygenated compounds of, on chloraniline, 281; action of, on chloraniline, 283; on styrole, 346.
- Chlorisatine, action of fused hydrate of potash on, 272.
- Chloro-carbon, oxalate of, 365.
- Chlorodibromaniline, 288.
- Chlorostyrole, 346.
- Chromates, 448; volumes occupied by certain, 450.
- Chromic acid, action of, on styrole, 344.
- Cinnamole, 353.
- Clark (Dr.) on the removal of lead, the chief poison to be apprehended in water, by an effective filter, 384.
- Coal-gas, analysis of, 309.
- Cobalt, solubility of, 20.
- Compounds, conjugate, 360.
- Cooper (John Thomas) on catechuic acid, 45.
- Copper, pyromeconate of, 3; kome-nate of, 119; discovery of pure oxide of nickel in the scum arising from smelting of, 384; action of bleaching powder on the salts of, 387.
- Cotarnin, formation of hydrochlorate of, 171.
- Couch grass, supposed existence of mannite in the roots of, 139.
- Crum (Walter) on the action of bleaching powder on the salts of copper and lead, 387.
- Cutch, analysis of, 47.
- Cyanide, of gold, 80, 82, 86; of potassium, 82, 92; of gold and potassium, 88; of silver, 92; decomposition of the double, by an electric current, 158.
- Daubeny (Dr. Charles) on the occurrence of fluorine in recent as well as in fossil bones, 97.
- De la Rue (W.) on the structure of electro-precipitated metals, 300; on a crystallized alloy of zinc, iron, lead and copper, 393.
- Dialurate of ammonia, 11.
- Dialuric acid, 11.
- Dibromaniline, composition of, 294; properties of, 295.
- Dibromisatine, action of fused hydrate of potash on, 294.
- Dichloraniline, 285.
- Dichlorisatine, action of the fused hydrate of potash on, 285.
- Draconyl, 357.
- Drayton's (Mr.) new method of covering glass by precipitation with a coating of metallic silver, 128.
- Earths, alkaline, in vegetable ash, 187.
- East Indian grass oil, on, 122.
- Electric current, decomposition of the double cyanides by an, 158; on the decomposition of metallic salts by an, 255.
- Electro-chemical action, actinic influence on, 319.
- Electro-precipitated metals, on the structure of, 300.
- Fermentation, observations on, 21.
- Ferric acid, on, 25.
- Fluids, on the circular polarization of light by transmission through, 26.
- Fluoride of iodine, preparation of, 162.
- Fluorine, occurrence of, in recent as well as in fossil bones, 97; and the sources from whence it is derived, 134.
- Fresenius (Dr. Remigius) on an improved method for the detection and quantitative determination of arsenic, 129; on the inorganic constituents of plants, 179.
- Fucus vesiculosus*, *F. serratus*, and *F. nudosus*, mannite contained in, 138, 139.
- Furnace, on a chemical lamp, 218.
- Furze (John N.) on fermentation, 21.
- Gas, carbonic acid, amount contained in the Bonnington water, 215.
- Gas-lime, composition of, 359.
- Genth (M.) on the discovery of pure oxide of nickel in the scum arising from smelting of copper, 384.
- Gingerade, analysis of, 386.
- Glassford (Charles F. O.) on the cyanides of the metals, and their combinations with cyanide of potassium:—Part I. Cyanide of gold, 82; Part II. Cyanide of silver, 92.
- Glass, on some commercial specimens of green, 247.
- Gold, solubility of, 20; cyanide of, 80, 82, 86.
- Graham (Thomas) on the heat disengaged in combinations, 51; on the

- useful applications of the refuse-lime of gas-works, 358 ; on the existence of phosphoric acid in the deep-well water of the London basin, 392.
- Grass oil, East Indian, 122.
- Gravity, on specific, 401.
- Gregory (Dr.) on the chemical history of the products of the decomposition of uric acid, 9 ; on a new phosphate of magnesia, 310.
- Guano, composition of some varieties of South American, 140 ; analysis of samples of, 149, 150 ; of concrete, 151, 152 ; of saline, *ib.* ; on bones taken from the, 223.
- Halydria siliquosa*, mannite contained in, 138.
- Hemipinic acid, 172.
- Hodges (Dr. J. F.) on the pharmaceutical and chemical characters of the Peruvian matico, 123.
- Hofmann (A. W.) on chloranil, 227 ; on certain processes in which aniline is formed, 249 ; on the metamorphoses of indigo—production of organic bases which contain chlorine and bromine, 266 ; on the true composition of chlorindatmit, 306 ; on styrole, and some of the products of its decomposition, 334 ; on toluidine, a new organic base, 367 ; leucol and chinolin identical, 384.
- Hunt (R.) on actino-chemistry, 311.
- Hydrate of the oil of laurel turpentine, 121.
- Indigo, metamorphoses of, 266.
- Inulin, on the conversion of cane-sugar into a substance isomeric with cellulose and, 384.
- Iodides, 440 ; volumes in solution and in the solid state of certain, 447.
- Iodine, preparation of fluoride of, 162 ; in the Bonnington water, 208.
- Iron, pyromeconate of, 4 ; komenate of peroxide of, 8 ; on the solubility of the metals in persulphate and perchloride of, 16 ; spathic carbonate of, 105 ; meconic acid and the persalts of, 114 ; reduction of the salts of peroxide of, by means of vegetable substances, 120 ; peroxide of, in vegetable ash, 187 ; oxide of, contained in the Bonnington water, 218.
- Iron ore, on brown, 321 ; composition and quantitative analysis of, 322.
- Iron salt from æthereal solution of meconic acid, 116.
- Isatine, action of hydrate of potash in fusion on, 271.
- Jones (Dr. H. Bence) on the decomposition of salts of ammonia at ordinary temperatures, 244.
- Joule (J. P.) on atomic volume and specific gravity, 401.
- Kinic acid, on detecting, 226.
- Kolbe (Dr. H.) on conjugate compounds, 360.
- Komenate of peroxide of iron, 8 ; of ammonia, 8, 118 ; of lead, *ib.* ; of copper, 119 ; of silver, 120.
- Komenic acid, products of the distillation of, 6 ; preparation of salts of, 113, 117.
- Laminaria saccharina*, and other seaweeds, occurrence of mannite in the, 136, 138.
- Lead, solubility of, 19 ; meconate of, 113 ; komenate of, 118 ; action of bleaching powder on the salts of, 387 ; solubility of oxide of, in pure water, 399.
- Leeson (Dr. H. B.) on the circular polarization of light by transmission through fluids, 26 ; on the preparation of fluoride of iodine, 162.
- Leucol and chinolin identical, 384.
- Light, on the circular polarization of, by transmission through fluids, 26.
- Lime, process of separating the phosphate of, from magnesia, 142 ; on a new hydrated phosphate of, 222 ; action of anhydrous baryta and, on chloraniline, 284 ; useful application of the refuse, of gas-works, 358 ; composition of gas, 359.
- Liquids, table of some rotating, 44, 45.
- London basin, existence of phosphoric acid in the deep-well water of the, 392.
- MacLagan (Dr. Douglas) on the conversion of cane-sugar into a substance isomeric with cellulose and inulin, 384.
- Magnesia, on separating the phosphate of lime from, 142 ; on a new phosphate of, 310.
- Mannite, occurrence of, in the *Laminaria saccharina* and other seaweeds, 136 ; supposed existence of, in *Triticum repens*, or couch grass, 139.
- Manure, analyses of farm-yard, 309.
- Matico, Peruvian, on the pharmaceu-

- tical and chemical characters of the, 123.
- Meconate of lead, 113.
- Meconic acid, products of the distillation of, 1, 6; salts of, 113; and the persalts of iron, 114; iron salt from æthereal solution of, 116.
- Mercury, bichloride of, and chloraniline, 281.
- Metals, solubility of the, 16; cyanides of the, and their combinations with cyanide of potassium, 82, 92; on the structure of electro-precipitated, 300.
- Metastyrole, 347.
- Methyl, hyposulphate of, 364.
- Microscope, on preserving salts for the, 71.
- Middleton (J.) on fluorine in recent and fossil bones, and the sources from whence it is derived, 134.
- Murray (R.) on the phenomena of sounds produced in a bar of soft iron, 201.
- Muspratt (J. S.) on certain processes in which aniline is formed, 249; on toluidine, a new organic base, 367.
- Napier (James) on the solubility of the metals in persulphate and perchloride of iron, 16; on the cyanides of the metals, and their combinations with cyanide of potassium:—Part I. Cyanide of gold, 82; Part II. Cyanide of silver, 92; on the decomposition of the double cyanides by an electric current, 158; on the decomposition of metallic salts by an electric current, 255.
- Narcogenin, 173.
- Narcotine, atomic weight of, 163; composition of, 163, 165; products of decomposition, 168, 177.
- Nickel, solubility of, 20; discovery of pure oxide of, in the scum arising from smelting of copper, 384.
- Nitraniline, 382.
- Nitrates, 435; volumes occupied by certain, 440.
- Nitric acid, action of, on chloraniline, 283; on styrole, 339; on metastyrole, 351.
- Nitrobenzoic acid, 343.
- Nitrometastyrole, 351.
- Nitrostyrole, preparation of, 339.
- Officers and Council, in 1844, 113; in 1845, 334.
- Chem. Soc. Mem.* VOL. II.
- Oils, essential, possessing no rotating energy, 45; hydrate of the, of laurel turpentine, 121; East Indian grass, 122.
- Opianic acid, 172.
- Ore, on brown iron, 321; composition and quantitative analysis, 322.
- Oxide, on a class of double sulphates containing a magnesian, 49.
- Oxides, decomposition of, by chlorine, 234.
- Ozone, 395.
- Parakomenic acid, 6.
- Peas, analysis of the ash of, 193.
- Percy (Dr. John) on a new hydrated phosphate of lime, 222.
- Peruvian matico, on the pharmaceutical and chemical characters of the, 123.
- Pharmacopœias, on the distilled waters of our, 261.
- Phosphates, vegetable ashes rich in alkaline and earthy, 184; analysis of, 186; analysis of seed-ashes containing tribasic and bibasic, 195, 196; volumes occupied by, 418.
- Phosphoric acid in vegetable ash, 189.
- Plants, inorganic constituents of, 179; determination of the quantity of vegetable ash in, 190.
- Platinum, products of decomposition of narcotine by bichloride of, 163, 168; bichloride of, and chloraniline, 280; bromaniline and bichloride of, 293.
- Playfair (Lyon) on atomic volume and specific gravity, 401.
- Potash, neutralization of various acids by hydrate of, 51; of hydrate of, by nitric and hydrochloric acids, 52; of hydrate of, by sulphuric acid, 58; of bichromate of, by hydrate of, 64; of acetic acid, by hydrate of, 65; of oxalic acid, *ib.*; binoxalate of, 66; quadroxalate of, 67; neutralization of bicarbonate of, with hydrate of, 68; of arsenic and phosphoric acids, by hydrate of, *ib.*; action of hydrate of, in fusion on isatin, 271; of fused, on chlorisatine, 272; on dichlorisatine, 285; on bromisatine, 289; on dibromisatine, 294; influence of solar rays on manganate of, 313.
- Potassa in the Bonnington water, 209.
- Potassium, on the cyanides of the metals, and their combination with

- cyanide of, 82, 92; cyanide of gold and, 88; action of, on chloraniline, 285.
- Precipitates, colour of, when exposed to solar rays, 316.
- Precipitation, influence of the solar rays on, 312.
- Pyrokomenic acid, 6.
- Pyromeconate of copper, 3; of iron, 4.
- Pyromeconic acid, 2, 5.
- Pyromucic acid, 5.
- Quadroxalate of potash, 67.
- Report, Auditors', 112, 333.
- Rhodomelia palmata*, mannite contained in, 138.
- Richardson (Thomas), analyses of farm-yard manure and of coal-gas, 309.
- Rye, analysis of the ash of, 193.
- Salts, on a means of preserving the crystals of, as permanent objects for microscopic investigation, 71; iron, from æthereal solution of meconic acid, 116; reduction of the, of peroxide of iron, by means of vegetable substances, 120; decomposition of, by chlorine, 234; decomposition of, of ammonia, 244; decomposition of metallic, by an electric current, 255; volumes occupied by certain, containing a large amount of hydrate water, 412; volume occupied by certain hydrated, rendered anhydrous, 433; ammoniacal, 460; volumes occupied by, 466; laws which regulate the volumes of, 476.
- Sand, determination of the silica of the, in vegetable ash, 186.
- Schweitzer (G.), on an analysis of the Bonnington water, near Leith, Scotland, 201.
- Sea-weeds, occurrence of mannite in, 136.
- Seed-ashes, analyses of, containing tri-basic and bibasic phosphates, 195, 196, 197.
- Silica, vegetable ashes rich in, 184, 186, 190.
- Silver, curious change in the molecular structure of, 47; cyanide of, 92; kometate of, 120; new method of covering glass, by precipitation, with a coating of metallic, 128; on some of the substances which reduce oxide of, 242.
- Smith (J. Denham) on ferric acid, 25; on the composition of some varieties of South American guano; with the description of a new mode of estimating ammonia, and of a process for separating lime from magnesia, when these earths exist in combination with phosphoric acid, 140.
- Soda, on a class of double sulphates containing, 49; in the Bonnington water, 210; volumes occupied by carbonate of, 418.
- Solar rays, influence of the, on precipitation, 312.
- Solly (Edward) on a chemical lamp-furnace, 218.
- Stenhouse (Dr. John) on the products of the distillation of meconic acid, 1; on some of the salts of meconic and komenic acid, 113; on the reduction of the salts of peroxide of iron by means of vegetable substances, 120; on the hydrate of the oil of laurel turpentine, 121; on East Indian grass oil, 122; on the occurrence of mannite in the *Laminaria saccharina* and other sea-weeds, 136; on a means of detecting kinic acid, 226; on some of the substances which reduce oxide of silver and precipitate it on glass in the form of a metallic mirror, 242.
- Styrole, 334, 353; preparation of, 336; properties of, 337; composition of, 338; products of the decomposition of—action of nitric acid, 339; action of chromic acid on, 344; of fuming sulphuric acid on, 345; of bromine on, 345; of chlorine on, 346; of heat on, 347.
- Subsalts, examination of, 460; volumes occupied by, 466.
- Sulphates, on a class of double, containing soda and a magnesian oxide, 49; volumes of certain anhydrous and double, 422, 427.
- Sulphuric acid in vegetable ash, 189.
- Teas, green, of commerce, 73.
- Tilley (Thomas) on the conversion of cane-sugar into a substance isomeric with cellulose and inulin, 384.
- Tin, solubility of, 19.
- Tobacco, analysis of the ashes of, 192.
- Toluidine, 367; preparation of, 373; composition of, 375; properties of, *ib.*; compounds of, 377; sulphate of, 378; binoxalate of, *ib.*; hydrochlorate of, 379; platinchloride of,

- ib.*; products of the decomposition of, 380.
 Toluol, preparation of, 371.
 Tribromaniline, 296.
 Trichloraniline, 286.
Triticum repens, or couch grass, supposed existence of mannite in the roots of, 139.
 Turpentine, hydrate of the oil of laurel, 121.
 Uric acid, on the chemical history of the products of the decomposition of, 9.
 Vegetable substances, on the reduction of the salts of peroxide of iron by means of, 120.
 Vegetables, inorganic compounds in the ashes of, 182.
 Warington (Robert) on a curious change in the molecular structure of silver, 47; on a means of preserving the crystals of salts as permanent objects for microscopic investigation, 71; on the green teas of commerce, 73; on Mr. Drayton's new method of covering glass, by precipitation, with a coating of metallic silver, 128; on a curious change in the composition of bones taken from the guano, 223; on some commercial specimens of green glass, 247; on the distilled waters of our pharmacopœias, 261; on the action of animal charcoal, 326.
 Water, Bonnington, analysis of the, 201; quantitative analysis of the soluble and earthy ingredients in, 206, 211; existence of phosphoric acid in the deep-well, of the London basin, 392; solubility of oxide of lead in pure, 399; volumes occupied by certain salts containing a large amount of hydrate, 412; sulphates with a small proportion of hydrate, 427.
 Waters, on the distilled of our pharmacopœias, 261.
 Way (John Thomas) on a spathic carbonate of iron, 105.
 Wheat, analysis of the ash of, 193; on a specimen of diseased, 199.
 Will (Dr. H.) on the inorganic constituents of plants, 179.
 Williamson (Alexander W.) on the decomposition of oxides and salts by chlorine, 234; on ozone, 395.
 Yorke (Lieut.-Col. P. I.) on brown iron ore, 321; on the solubility of oxide of lead in pure water, 399.

END OF VOL. II.